


1. MODULE IS DESIGNED TO BE SUFFICIENTLY COOLED BY A PXI_e CHASSIS THAT MEETS PICMG (COMPACT PCI EXPRESS) STANDARDS. CARE MUST BE TAKEN TO PROVIDE ADEQUATE AIRFLOW AROUND THE CHASSIS AND TO REGULARLY INSPECT AND CLEAN CHASSIS FAN FILTERS TO MAINTAIN OPTIMAL AIRFLOW OVER THE MODULE.

NOTES: (UNLESS OTHERWISE SPECIFIED)



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS SHOWN IN INCHES [MILLIMETERS]
TOLERANCES ARE: .XX [0.X]±.01 [0.25] .XXX [0.XX]±.005 [0.13] ANGLES: ±2° MATERIAL
FINISH

REVISION NOTES	DATE
1. INITIAL RELEASE.	08-25-15

SignalCore Inc. AUSTIN, TEXAS	
TITLE SC5502A, 10 GHz SIGNAL SOURCE, PXI _e CUSTOMER DRAWING	
SIZE C	CAGE CODE NO. 6CG47
DATE OF DRAWING 08-25-15	REV 1
SCALE: 1/1	DO NOT SCALE DRAWING
SHEET 1	OF 1